Exhibit B

IN THE UNITED STATES DISTRICT COURT FOR THE WESTERN DISTRICT OF TEXAS WACO DIVISION

SONOS, INC.,

Plaintiff,

V.

Sonos No. 6:20-cv-00881-ADA

Sonogle LLC,

Defendant.

PLAINTIFF SONOS, INC.'S SUPPLEMENTAL PRELIMINARY INFRINGEMENT CONTENTIONS AND IDENTIFICATION OF PRIORITY DATES

Plaintiff Sonos, Inc. ("Sonos" or "Plaintiff") serves its supplemental preliminary infringement contentions ("Supplemental Contentions") and identification of priority dates ("Supplemental Disclosure") regarding infringement by Defendant Google LLC ("Google" or "Defendant") of U.S. Patent No. 10,848,885 ("the '885 Patent.") Previously, on December 11, 2020, Sonos served its Preliminary Infringement Contentions. These Supplemental Contentions are intended to supplement those contentions.

Sonos bases this Disclosure on its current knowledge, understanding, and belief as to the facts and information available as of the date of this Disclosure. Sonos has not yet completed its investigation, collection of information, discovery, or analysis relating to this action, and additional discovery, including discovery from Google and third parties, may lead Sonos to amend, revise, and/or supplement this Supplemental Disclosure. Indeed, discovery in this action has only just begun, Google has not yet produced any documentation regarding the accused products, and Sonos has also not yet had the opportunity to inspect Google's source code for the accused products. However, the accused functionalities of the accused products are implemented, at least in part, by Google's proprietary and specialized electronics, firmware, and/or software, and the precise designs, processes, and algorithms used to perform the accused functionalities are held secret, at least in part, and are not publicly available in their entirety. As such, an analysis

of Google's documentation and source code may be necessary to fully and accurately describe every infringing functionality.

For these reasons, Sonos specifically reserves the right to amend, revise and/or supplement this Supplemental Disclosure and/or accompanying exhibits in accordance with any Orders of record in this matter, and Federal Rule of Civil Procedure 26(e), as additional documents and information become available and as discovery and investigation proceed.

Sonos also reserves the right to supplement, modify or amend this Supplemental Disclosure to include additional products or services made, used, sold, or offered for sale in or imported into the United States by Google.

This Supplemental Disclosure is made without prejudice to any position Sonos may take with respect to claim construction. Sonos reserves its right to supplement this Supplemental Disclosure and exhibits based on the Court's claim construction. Sonos further reserves the right to introduce and use such supplemental materials at trial.

The information in this Supplemental Disclosure is not an admission regarding the scope of any claims or the proper construction of those claims or any terms contained therein. The production of documents accompanying this Supplemental Disclosure is not an admission that such documents are admissible and Sonos does not waive any objections regarding admissibility. Sonos reserves the right to supplement its production of documents accompanying this disclosure upon identification or receipt of additional documents, including documents from third parties.

I. PRELIMINARY INFRINGEMENT CONTENTIONS

Sonos contends that the '885 Patent is infringed, either individually or in combination, by the following products (individually or collectively, "Accused Product(s)"):

• Cast-enabled media players, including Chromecast, Chromecast Ultra, Chromecast Audio, Chromecast with Google TV, Home Mini, Nest Mini, Home, Home Max, Home Hub, Nest Hub, Nest Hub Max, Nest Audio, and Nest Wifi Point media players.

Sonos's Supplemental Contentions are attached hereto as Exhibit A. At this stage, Sonos provides charts for the following claims:

• '885 Patent: claims 1-3, 5-10, 12-17, and 19-20 (Exhibit A)

A. Direct Infringement Under 35 U.S.C § 271(a)

<u>'885 Patent</u>: As set forth in Exhibit A, each Cast-enabled media player infringes every asserted claim of the '885 Patent. Thus, Google has directly infringed and continues to directly infringe each asserted claim of the '885 Patent at least by offering to sell, selling, and/or importing into the United States, Cast-enabled media players.

Further, on information and belief, Google has directly infringed and continues to directly infringe each asserted claim of the '885 Patent by virtue of installing firmware updates onto Cast-enabled media players, which constitutes "mak[ing]" an infringing device under 35 U.S.C § 271(a).

Further yet, on information and belief, Google has directly infringed and continues to directly infringe each asserted claim of the '885 Patent by virtue of Cast-enabled media players installed with firmware, which constitutes "us[ing]" an infringing device under 35 U.S.C § 271(a).

B. Induced Infringement Under 35 U.S.C § 271(b)

Pursuant to 35 U.S.C. § 271(b), Google also actively, knowingly, and intentionally induced (and continues to actively, knowingly, and intentionally induce) others to make, use, offer to sell, sell, and/or import the Accused Products into the United States. As noted in Sonos's Amended Complaint, Google had actual knowledge of the Asserted Patents prior to the filing of the Amended Complaint.

<u>'885 Patent:</u> As set forth in Exhibit A, each Cast-enabled media player infringes every asserted claim of the '885 Patent. Despite knowing of the '885 Patent, Google has actively, knowingly, and intentionally induced (and continues to actively, knowingly, and intentionally induce) others to directly infringe the asserted claims by actively encouraging others to make, use, offer to sell, sell, and/or import Cast-enabled media players into the United States in violation of 35 U.S.C. § 271(b).

For example, through Google's website, advertising and promotional material, user guides, the Google Home app (among other apps offered by Google), and/or the Google Play Store, Google has actively, knowingly, and intentionally encouraged and induced (and continues to actively, knowingly, and intentionally encourage and induce) others to install firmware updates onto Cast-enabled media players, and thereby "make[]" an infringing device, which constitutes direct infringement of the asserted claims of the '885 Patent under 35 U.S.C § 271(a).

As another example, through Google's website, advertising and promotional material, user guides, the Google Home app (among other apps offered by Google), and/or the Google Play Store, Google has actively, knowingly, and intentionally encouraged and induced (and continues to actively, knowingly, and intentionally encourage and induce) others to "use" Castenabled media players, which constitutes direct infringement of the asserted claims of the '885 Patent under 35 U.S.C § 271(a).

As yet another example, Google has actively, knowingly, and intentionally induced (and continues to actively, knowingly, and intentionally induce) distributors and retailers to "offer[] to sell" and "sell[]" Cast-enabled media players, which constitutes direct infringement of the asserted claims of the '885 Patent under 35 U.S.C § 271(a).

Along with its actual knowledge of the '885 Patent, Google also knew (or should have known) that its actions would induce others to directly infringe the asserted claims of the '885 Patent. For instance, Google has supplied and continues to supply Cast-enabled media players (as well as firmware updates) to users while knowing that the use of Cast-enabled media players will infringe the asserted claims of the '885 Patent.

B. Contributory Infringement Under 35 U.S.C § 271(c)

Pursuant to 35 U.S.C § 271(c), Google has also contributorily infringed (and continues to contributorily infringe) the asserted claims of the Asserted Patents by supplying software components in the United Sates to be installed and/or used by users of the Accused Products – each of which is a material component of the Accused Products that has no substantial noninfringing use – with knowledge that the software components were especially made or

adapted for use in an Accused Product such that the installation and/or use of the software components would result in direct infringement. As noted in Sonos's Amended Complaint, Google had actual knowledge of the '885 Patent prior to the filing of the Amended Complaint.

<u>'885 Patent:</u> Google has contributorily infringed (and continues to contributorily infringe) the asserted claims of the '885 Patent by virtue of the fact that, in addition to importing and selling Cast-enabled media players that come pre-installed with firmware, Google supplies firmware updates for Cast-enabled media players in the United States, and each time a user installs such a firmware update, the user "makes" an infringing device and thereby directly infringes the asserted claims of the '885 Patent under 35 U.S.C. § 271(a). The software components included in the firmware updates are material components of Cast-enabled media players that are not staple articles or commodities of commerce suitable for substantial noninfringing use because the only possible use for these software components is to be installed and run on Cast-enabled media players.

Along with its actual knowledge of the '885 Patent, Google knew (or should have known) that the software components included in the firmware updates were especially made or adapted for installation on Cast-enabled media players, and that installation of these software components by others resulted in (and continues to result in) direct infringement of the '885 Patent under 35 U.S.C. § 271(a) because each such installation "makes" an updated player that meets every element of every asserted claims.

Moreover, as a result of Google's contributory conduct, others have directly infringed the asserted claims of the '885 Patent. For example, users have installed the supplied firmware updates onto Cast-enabled media players in the United States, thereby "making" updated Cast-enabled media players, which constitutes direct infringement. As another example, after installing the firmware updates onto Cast-enabled media players, users have used Cast-enabled media players, which also constitutes direct infringement of the asserted claims.

II. IDENTIFICATION OF THE PRIORITY DATE FOR EACH CLAIM OF THE ASSERTED PATENTS

Sonos sets forth that the priority date for each asserted claim is at least as early as:

• '885 Patent (claims 1-3, 5-10, 12-17, and 19-20): September 12, 2006

III. DOCUMENT PRODUCTION

III. DOCUMENT I KODUCTI	
Accompanying this Disclosu	re, Sonos produces, inter alia, copies of the file history for
each Asserted Patent. The foregoing documents are included in the Bates range SONOS-SVG2-	
SONOS-SVG2	·
Dated: January, 2020.	Respectfully submitted,
3	By/s/ Jeffrey L. Johnson
	Jeffrey L. Johnson Texas Bar No. 24029638 ORRICK, HERRINGTON & SUTCLIFFE LLP 609 Main Street, 40th Floor Houston, TX 77002 Telephone: 713.658.6400 Facsimile: 713.658.6401 jj@orrick.com
	Clement Seth Roberts California Bar No. 209203 ORRICK, HERRINGTON & SUTCLIFFE LLP

405 Howard St.
San Francisco, CA 94105
Telephone: 415.773.5484
Facsimile: 415.773.5759
croberts@orrick.com

Bas de Blank California Bar No. 191487 ORRICK, HERRINGTON & SUTCLIFFE LLP 1000 Marsh Blvd. Menlo Park, CA 94205 Telephone: 650.614.7343

Facsimile: 650.614.7401

bdeblank@orrick.com

Alyssa Caridis
California Bar No. 260103
ORRICK, HERRINGTON & SUTCLIFFE LLP
777 South Figueroa St., Suite 3200
Los Angeles, CA 90017
Telephone: 213.612.2372
Facsimile: 213.612.2499

Facsimile: 213.612.2499 acaridis@orrick.com

George I. Lee
Illinois Bar No. 6225430
Sean M. Sullivan
Illinois Bar No. 6230605
Rory P. Shea
Illinois Bar No. 6290745
J. Dan Smith
Illinois Bar No. 6300912
LEE SULLIVAN SHEA & SMITH LLP
656 W. Randolph St., Floor 5W
Chicago, IL 60661
Telephone: 312.754.9602
Facsimile: 312.754.9603
lee@ls3ip.com
gullivan@ls3ip.com

lee@ls3ip.com sullivan@ls3ip.com shea@ls3ip.com smith@ls3ip.com

Mark D. Siegmund State Bar No. 24117055 mark@waltfairpllc.com Law Firm of Walt, Fair PLLC. 1508 North Valley Mills Drive Waco, Texas 76710 Telephone: (254) 772-6400

Facsimile: (254) 772-6432

ATTORNEYS FOR PLAINTIFF SONOS, INC.

Case 6:20-cv-00881-ADA Document 39-2 Filed 01/14/21 Page 10 of 47

Claim 1	
[1.0] A first zone player comprising:	Google's "Cast" technology enables Cast-enabled media players to be included in a "speaker group" "for synchronous music throughout the home." These Cast-enabled media players include Google's own Cast-enabled media players, such as the Home Mini, Nest Mini, Home, Home Max, Home Hub, Nest Hub, Nest Hub Max, Nest Wifi Point, Chromecast, Chromecast Audio, Chromecast Ultra, Chromecast with Google TV, and Nest Audio media players, as well as various other third-party media players with built-in Cast functionality. See, e.g., https://store.google.com/us/product/google_home_max?hl=en-US; https://store.google.com/us/product/chromecast google_tv_compare?hl=en-US; https://www.google.com/chromecast/built-in/audio/. To facilitate this grouping functionality, the Google Home app allows a user to "[c]reate and manage speaker groups" from the user's smartphone, tablet, or computer device, as well as to "cast" to a previously-created "speaker group" from the user's smartphone, tablet, or computer device, which would cause the "speaker group" from the user's smartphone, tablet, or computer device, which would cause the "speaker group" to be invoked. https://support.google.com/googlenest/answer/7174267?co=GENIE.Platform%3DAndroid&hl=en. In addition, there are many other Cast-enabled Android, iOS, or Chrome apps that allow a user to "cast" to a previously-created "speaker group" using the user's smartphone, tablet, or computer device, including certain of Google's own Cast-enabled apps (e.g., YouTube Music app, the Google Play Music app, the Google Podcasts, etc.) as well as certain third-party Cast-enabled apps. The Google Home app, either alone or together with one or more of these other Cast-enabled apps, can be installed and run on any smartphone, tablet, or computer device (e.g., the Pixel 3, Pixel 3 XL, Pixel 3a, Pixel 3a XL, Pixel 4, Pixel 4 XL, Pixel 4a (5G), Pixel 5 phones, the Pixel Slate tablet, and the Pixelbook and Pixelbook Go laptops) as well as many third-party smartphone, tablet, or computer device. See, e.g.,

Case 6:20-cv-00881-ADA Document 39-2 Filed 01/14/21 Page 11 of 47

	Certain of the aforementioned Cast-enabled media players also include a display screen and firmware that enables these Cast-enabled media players to additionally function as a control device
	for other Cast-enabled media players. This sub-category of Cast-enabled media players, which
	will be referred to herein as "Cast-enabled displays," includes Google's Home Hub, Nest Hub, and
	Nest Hub Max media players. See, e.g.,
	https://store.google.com/us/product/google_nest_hub?hl=en-US#overview-modal-music;
	https://store.google.com/us/product/google_nest_hub_max?hl=en-US;
	https://support.google.com/googlenest/answer/9165738?hl=en-GB&ref_topic=7030084. Similar to
	the Cast-enabled apps installed on the Cast-enabled computing devices, the firmware installed on
	these Cast-enabled displays allows a user to "cast" to a previously-created "speaker group" using
	the Cast-enabled display's user interface.
	As described in further detail below, each Cast-enabled media player comprises a "zone player" as
	recited in claim 1, and each Cast-enabled computing device comprises a "network device" as
	recited in claim 1.
[1.1] a network interface that is	Each Cast-enabled media player comprises a network interface, such as a Wi-Fi interface, that is
configured to communicatively	configured to communicatively couple the Cast-enabled media player to at least one data network,
couple the first zone player to	such as a Wi-Fi network. See, e.g., https://support.google.com/googlenest/answer/7072284?hl=en; ;
at least one data network;	https://store.google.com/us/product/google home max?hl=en-US.
[1.2] one or more processors;	Each Cast-enabled media player comprises one or more processors. See, e.g.,
	https://support.google.com/googlenest/answer/7072284?hl=en;
	https://store.google.com/us/product/google_home_max?hl=en-US.
[1.3] a non-transitory	Each Cast-enabled media player comprises a non-transitory computer-readable medium. See, e.g.,
computer-readable medium;	https://support.google.com/googlenest/answer/7072284?hl=en;
and	https://store.google.com/us/product/google home max?hl=en-US.
[1.4] program instructions	Each Cast-enabled media player comprises program instructions stored on the non-transitory
stored on the non-transitory	computer-readable medium that, when executed by the Cast-enabled media player's one or more
computer-readable medium	processors, cause the Cast-enabled media player to perform the functions identified below. See,
that, when executed by the one	e.g., https://support.google.com/googlenest/answer/7072284?hl=en ;
or more processors, cause the	https://store.google.com/us/product/google_home_max?hl=en-US.
first zone player to perform	
functions comprising:	

Case 6:20-cv-00881-ADA Document 39-2 Filed 01/14/21 Page 12 of 47

Ex. A – Initial Infringement Contention Chart: U.S. Patent No. 10,848,885

[1.5] while operating in a standalone mode in which the first zone player is configured to play back media individually in a networked media playback system comprising the first zone player and at least two other zone players:

Each Cast-enabled media player comprises program instructions stored on the Cast-enabled media player's non-transitory computer-readable medium that, when executed by the Cast-enabled media player's one or more processors, cause the Cast-enabled media player to, while operating in a standalone mode in which the Cast-enabled media player is configured to play back media individually in a networked Cast-enabled media playback system comprising the Cast-enabled media player and at least two other Cast-enabled media players, perform the functions identified below.

For instance, each Cast-enabled media player is programmed such that, while in a networked Cast-enabled media playback system that includes at least two other Cast-enabled media players, the Cast-enabled media player has the capability to operate in a standalone mode in which the Cast-enabled media player is configured to play back audio individually (as opposed to being configured to play back audio in synchrony with one or more other Cast-enabled media players as part of a "speaker group" or a "speaker pair"). *See, e.g.,*

https://support.google.com/googlenest/answer/7174267?co=GENIE.Platform%3DAndroid&hl=en; https://support.google.com/googlenest/answer/7030379?co=GENIE.Platform%3DAndroid&hl=en-GB; https://support.google.com/googlenest/answer/7181830?hl=en-GB&ref_topic=7030084; https://support.google.com/chromecast/answer/3228332?hl=en-GB&ref_topic=4602553&co=GENIE.Platform%3DDesktop&oco=1.

[1.6] (i) receiving, from a network device over a data network, a first indication that the first zone player has been added to a first zone scene comprising a first predefined grouping of zone players including at least the first zone player and a second zone player that are to be configured for synchronous playback of media when the first zone scene is invoked; and

Each Cast-enabled media player comprises program instructions stored on the Cast-enabled media player's non-transitory computer-readable medium that, when executed by the Cast-enabled media player's one or more processors, cause the Cast-enabled media player to receive, from a Cast-enabled computing device over a data network, a first indication that the Cast-enabled media player has been added to a first zone scene comprising a first predefined grouping of Cast-enabled media players including at least the Cast-enabled media player and a second Cast-enabled media player that are to be configured for synchronous playback of media when the first zone scene is invoked.

For instance, each Cast-enabled media player is programmed such that, while the Cast-enabled media player is in a networked Cast-enabled media playback system that includes at least two other Cast-enabled media players and is operating in a standalone mode in which the Cast-enabled media player is configured to play back audio individually, the Cast-enabled media player has the capability to receive, from a Cast-enabled computing device over a Wi-Fi network, a first

Ex. A – Initial Infringement Contention Chart: U.S. Patent No. 10,848,885

indication that the Cast-enabled media player has been added to a first predefined "speaker group" that includes the Cast-enabled media player and a second Cast-enabled media player in the networked Cast-enabled media playback system, which amounts to a "first zone scene" comprising a "first predefined grouping" of Cast-enabled media players that are "to be configured for synchronous playback of media" when the first predefined "speaker group" is invoked. *See, e.g.,* https://support.google.com/googlenest/answer/7174267?co=GENIE.Platform%3DAndroid&hl=en (explaining that when Cast-enabled media players are grouped together into a "speaker group" those Cast-enabled media players are configured for "synchronous music throughout the home").

As one possibility, a Cast-enabled media player will receive such an indication from a Cast-enabled computing device as a result of a user inputting a request to create a new predefined "speaker group" via the Cast-enabled computing device's user interface. Illustrative examples of such user input are shown in Ex. D, claim limitations 1.5, 1.7.

[1.7] (ii) receiving, from the network device over the data network, a second indication that the first zone player has been added to a second zone scene comprising a second predefined grouping of zone players including at least the first zone player and a third zone player that are to be configured for synchronous playback of media when the second zone scene is invoked. wherein the second zone player is different than the third zone player;

Each Cast-enabled media player comprises program instructions stored on the Cast-enabled media player's non-transitory computer-readable medium that, when executed by the Cast-enabled media player's one or more processors, cause the Cast-enabled media player to receive, from a Cast-enabled computing device over a data network, a second indication that the Cast-enabled media player has been added to a second zone scene comprising a second predefined grouping of Cast-enabled media players including at least the Cast-enabled media player and a third Cast-enabled media player that are to be configured for synchronous playback of media when the first zone scene is invoked, where the second Cast-enabled media player is different than the third Cast-enabled media player.

For instance, each Cast-enabled media player is programmed such that, while the Cast-enabled media player is in a networked Cast-enabled media playback system that includes at least two other Cast-enabled media players and is operating in a standalone mode in which the Cast-enabled media player is configured to play back audio individually, the Cast-enabled media player has the capability to receive, from a Cast-enabled computing device over a Wi-Fi network, a second indication that the Cast-enabled media player has been added to a second predefined "speaker group" that includes the Cast-enabled media player and a third Cast-enabled media player in the networked Cast-enabled media playback system, which amounts to a "second zone scene" comprising a "second predefined grouping" of Cast-enabled media players that are "to be configured for synchronous playback of media" when the second predefined "speaker group" is

Case 6:20-cv-00881-ADA Document 39-2 Filed 01/14/21 Page 14 of 47

[1.8] after receiving the first and second indications, continuing to operate in the standalone mode until a given one of the first and second zone scenes has been selected for invocation;	invoked. See, e.g., https://support.google.com/googlenest/answer/7174267?co=GENIE.Platform%3DAndroid&hl=en (explaining that when Cast-enabled media players are grouped together into a "speaker group" those Cast-enabled media players are configured for "synchronous music throughout the home"). As one possibility, a Cast-enabled media player will receive such an indication from a Cast-enabled computing device as a result of a user inputting a request to create a new predefined "speaker group" via the Cast-enabled computing device's user interface. Illustrative examples of such user input are shown in Ex. D, claim limitations 1.5, 1.7. Each Cast-enabled media player comprises program instructions stored on the Cast-enabled media player's non-transitory computer-readable medium that, when executed by the Cast-enabled media player's one or more processors, cause the Cast-enabled media player to, after receiving the first and second indications, continue to operate in the standalone mode until a given one of the first and second zone scenes has been selected for invocation. For instance, each Cast-enabled media player is programmed such that, after receiving the first and second indications while the Cast-enabled media player is in a networked Cast-enabled media playback system that includes at least two other Cast-enabled media players and is operating in a standalone mode in which the Cast-enabled media player is configured to play back audio individually, the Cast-enabled media player continues to operate in the standalone mode until one of the first predefined "speaker group" or the second predefined "speaker group" has been selected for invocation. See, e.g., https://support.google.com/googlenest/answer/7174267?co=GENIE.Platform%3DAndroid&hl=en; https://support.google.com/googlenest/answer/7030379?co=GENIE.Platform%3DAndroid&hl=en-
	https://support.google.com/googlenest/answer/7030379?co=GENIE.Platform%3DAndroid&hl=en-GB; https://support.google.com/googlenest/answer/7181830?hl=en-GB&ref_topic=7030084; https://support.google.com/chromecast/answer/3228332?hl=en-
11.01 - G - 14 - 1 - 1 - 1 - 1 - 1	GB&ref_topic=4602553&co=GENIE.Platform%3DDesktop&oco=1.
[1.9] after the given one of the	Each Cast-enabled media player comprises program instructions stored on the Cast-enabled media
first and second zone scenes	player's non-transitory computer-readable medium that, when executed by the Cast-enabled media
has been selected for	player's one or more processors, cause the Cast-enabled media player to, after the given one of the
invocation, receiving, from the	first and second zone scenes has been selected for invocation, receive, from the Cast-enabled
network device over the data	computing device over the data network, an instruction to operate in accordance with a given one
network, an instruction to	

Case 6:20-cv-00881-ADA Document 39-2 Filed 01/14/21 Page 15 of 47

Ex. A – Initial Infringement Contention Chart: U.S. Patent No. 10,848,885

operate in accordance with a given one of the first and second zone scenes respectively comprising a given one of the first and second predefined groupings of zone players; and of the first and second zone scenes respectively comprising a given one of the first and second predefined groupings of Cast-enabled media players.

For instance, each Cast-enabled media player is programmed such that, after one of the first and second predefined "speaker groups" has been selected for invocation using a Cast-enabled computing device, the Cast-enabled media player has the capability to receive, from the Cast-enabled computing device over the Wi-Fi network, an instruction to operate in accordance with the selected "speaker group," which amounts to "a given one of the first and second zone scenes respectively comprising a given one of the first and second predefined groupings" of Cast-enabled media players. *See, e.g.*,

https://support.google.com/googlenest/answer/7174267?co=GENIE.Platform%3DAndroid&hl=en; https://support.google.com/googlenest/answer/7030379?co=GENIE.Platform%3DAndroid&hl=en-GB; https://support.google.com/googlenest/answer/7181830?hl=en-GB&ref_topic=7030084; https://support.google.com/chromecast/answer/3228332?hl=en-GB&ref_topic=4602553&co=GENIE.Platform%3DDesktop&oco=1.

A Cast-enabled media player typically receives such an instruction from a Cast-enabled computing device as a result of a user inputting a request to invoke a predefined "speaker group" via the Cast-enabled computing device's user interface. Illustrative examples of such user input are shown in Ex. D, claim limitations 1.10.

[1.10] based on the instruction, transitioning from operating in the standalone mode to operating in accordance with the given one of the first and second predefined groupings of zone players such that the first zone player is configured to coordinate with at least one other zone player in the given one of the first and second predefined groupings of zone players over a data network in

Each Cast-enabled media player comprises program instructions stored on the Cast-enabled media player's non-transitory computer-readable medium that, when executed by the Cast-enabled media player's one or more processors, cause the Cast-enabled media player to, based on the instruction, transition from operating in the standalone mode to operating in accordance with the given one of the first and second predefined groupings of Cast-enabled media players such that the Cast-enabled media player is configured to coordinate with at least one other Cast-enabled media player in the given one of the first and second predefined groupings of Cast-enabled media players over a data network in order to output media in synchrony with output of media by the at least one other Cast-enabled media player in the given one of the first and second predefined groupings of Cast-enabled media players.

For instance, each Cast-enabled media player is programmed such that, based on a received instruction to operate in accordance with a selected "speaker group," the Cast-enabled media

Case 6:20-cv-00881-ADA Document 39-2 Filed 01/14/21 Page 16 of 47


Ex. A – Initial Infringement Contention Chart: U.S. Patent No. 10,848,885

order to output media in synchrony with output of media by the at least one other zone player in the given one of the first and second predefined groupings of zone players. player transitions from operating in the standalone mode to operating in accordance with the selected "speaker group" (which as noted above amounts to "a given one of the first and second zone scenes respectively comprising a given one of the first and second predefined groupings of zone players") such that the Cast-enabled media player is configured to coordinate with at least one other Cast-enabled media player in the selected "speaker group" over a Wi-Fi network in order to output audio in synchrony with output of audio by the at least one other Cast-enabled media player in the selected "speaker group." *See, e.g.*,


https://support.google.com/googlenest/answer/7174267?co=GENIE.Platform%3DAndroid&hl=en ("Group any combination of Google Nest or Google Home speakers and displays and Chromecast devices together for synchronous music throughout the home.").

Examples of this functionality are illustrated by the following screenshots from a Cast-enabled computing device installed with the Google Home app as well as other Cast-enabled apps such as Google Play Music and YouTube Music, which show the predefined "speaker group" named "Upstairs" being invoked such that the "Nest Mini" and "Hub Speaker" players each transition from operating in the standalone mode in which the player was configured to play back audio individually to operating in accordance with the predefined "speaker group" named "Upstairs" such that the "Nest Mini" and "Hub Speaker" players are configured to coordinate with one another to output audio in synchrony:

Case 6:20-cv-00881-ADA Document 39-2 Filed 01/14/21 Page 17 of 47



Case 6:20-cv-00881-ADA Document 39-2 Filed 01/14/21 Page 18 of 47



Claim 2	
[2.0] The first zone player of	As described above, each Cast-enabled media player comprises a "zone player," as recited in claim
claim 1, wherein the instruction	1. Moreover, each Cast-enabled media player is programmed such that the instruction to operate in

Case 6:20-cv-00881-ADA Document 39-2 Filed 01/14/21 Page 19 of 47

Claim 2	
to operate in accordance with	accordance with the given one of the first and second zone scenes comprises an instruction to
the given one of the first and	operate in accordance with the first zone scene.
second zone scenes comprises	
an instruction to operate in	For instance, each Cast-enabled media player is programmed such that, after a first predefined
accordance with the first zone	"speaker group" has been selected for invocation using a Cast-enabled computing device, the Cast-
scene, and	enabled media player has the capability to receive, from the Cast-enabled computing device over a
	Wi-Fi network, an instruction to operate in accordance with the first predefined "speaker group."
	See, e.g.,
	https://support.google.com/googlenest/answer/7174267?co=GENIE.Platform%3DAndroid&hl=en;
	https://support.google.com/googlenest/answer/7030379?co=GENIE.Platform%3DAndroid&hl=en-
	GB; https://support.google.com/googlenest/answer/7181830?hl=en-GB&ref_topic=7030084;
	https://support.google.com/chromecast/answer/3228332?hl=en-
	GB&ref_topic=4602553&co=GENIE.Platform%3DDesktop&oco=1.
	As one possibility, a Cast-enabled media player will receive such an instruction to operate in
	accordance with a first predefined "speaker group" from a Cast-enabled computing device as a
	result of a user inputting a request to invoke the first predefined "speaker group" via the Cast-
	enabled computing device's user interface. Illustrative examples of such user input are shown in
	Ex. D, claim limitation 1.10.
[2.1] wherein transitioning from	Each Cast-enabled media player is programmed such that transitioning from operating in the
operating in the standalone	standalone mode to operating in accordance with the given one of the first and second predefined
mode to operating in	groupings of Cast-enabled media players comprises transitioning from operating in the standalone
accordance with the given one	mode to operating in accordance with the first predefined grouping of Cast-enabled media players
of the first and second	such that the Cast-enabled media player is configured to coordinate with at least the second Cast-
predefined groupings of zone	enabled media player to output media in synchrony with output of media by at least the second
players comprises transitioning	Cast-enabled media player.
from operating in the	
standalone mode to operating in	For instance, each Cast-enabled media player is programmed such that, based on a received
accordance with the first	instruction to operate in accordance with a first predefined "speaker group" that includes the Cast-
predefined grouping of zone	enabled media player and a second Cast-enabled media player in a networked Cast-enabled media
players such that the first zone	playback system, the Cast-enabled media player transitions from operating in the standalone mode
player is configured to	to operating in accordance with the first predefined "speaker group" such that the Cast-enabled

Case 6:20-cv-00881-ADA Document 39-2 Filed 01/14/21 Page 20 of 47

Claim 2	
coordinate with at least the second zone player to play back output media in synchrony with output of media by at least the second zone player.	media player is configured to coordinate with at least the second Cast-enabled media player over a Wi-Fi network in order to output audio in synchrony with output of audio by at least the second Cast-enabled media player in the selected first predefined "speaker group." <i>See, e.g.,</i> https://support.google.com/googlenest/answer/7174267?co=GENIE.Platform%3DAndroid&hl=en ("Group any combination of Google Nest or Google Home speakers and displays and Chromecast devices together for synchronous music throughout the home."). Examples of this functionality are
	illustrated in claim limitation 1.10 above.
Claim 3	
[3.0] The first zone player of claim 2, wherein the instruction is a first instruction, and wherein the first zone player further comprises program instructions stored on the non-transitory computer-readable medium that, when executed by the one or more processors, cause the first zone player to perform functions comprising:	As described above, each Cast-enabled media player comprises a "zone player," as recited in claim 2. Moreover, each Cast-enabled media player is programmed such that the instruction to operate in accordance with the first zone scene is a first instruction, and each Cast-enabled media player further comprises program instructions stored on the Cast-enabled media player's non-transitory computer-readable medium that, when executed by the Cast-enabled media player's one or more processors, cause the Cast-enabled media player to perform the functions identified below.
[3.1] while operating in accordance with the first predefined grouping of zone players, receiving, from the network device over the data network, a second instruction to operate in accordance with the second predefined grouping of zone players; and	Each Cast-enabled media player comprises program instructions stored on the Cast-enabled media player's non-transitory computer-readable medium that, when executed by the Cast-enabled media player's one or more processors, cause the Cast-enabled media player to, while operating in accordance with the first predefined grouping of Cast-enabled media players, receive, from the Cast-enabled computing device over the data network, a second instruction to operate in accordance with the second predefined grouping of Cast-enabled media players. For instance, each Cast-enabled media player is programmed such that, while operating in accordance with the first predefined "speaker group" that includes the Cast-enabled media player and a second Cast-enabled media player in a networked Cast-enabled media playback system, the Cast-enabled media player has the capability to receive, from a Cast-enabled computing device over


Case 6:20-cv-00881-ADA Document 39-2 Filed 01/14/21 Page 21 of 47

Claim 3	
	a Wi-Fi network, a second instruction to operate in accordance with the second predefined "speaker
	group" that includes the Cast-enabled media player and a third Cast-enabled media player in the
	networked Cast-enabled media playback system. See, e.g.,
	https://support.google.com/googlenest/answer/7174267?co=GENIE.Platform%3DAndroid&hl=en;
	https://support.google.com/googlenest/answer/7030379?co=GENIE.Platform%3DAndroid&hl=en-
	GB; https://support.google.com/googlenest/answer/7181830?hl=en-GB&ref_topic=7030084;
	https://support.google.com/chromecast/answer/3228332?hl=en-
	GB&ref_topic=4602553&co=GENIE.Platform%3DDesktop&oco=1.
	As one possibility, a Cast-enabled media player will receive such an instruction to operate in
	accordance with a second predefined "speaker group" from a Cast-enabled computing device as a
	result of a user inputting a request to invoke the second predefined "speaker group" via the Cast-
	enabled computing device's user interface. Illustrative examples of such user input are shown in Ex.
	D, claim limitation 2.1.
[3.2] based on the second	Each Cast-enabled media player comprises program instructions stored on the Cast-enabled media
instruction, (a) ceasing to	player's non-transitory computer-readable medium that, when executed by the Cast-enabled media
operate in accordance with the	player's one or more processors, cause the Cast-enabled media player to, based on the second
first predefined grouping of	instruction, (a) cease to operate in accordance with the first predefined grouping of Cast-enabled
zone players such that the first	media players such that the Cast-enabled media player is no longer configured to coordinate with at
zone player is no longer	least the second Cast-enabled media player to output media in synchrony with output of media by at
configured to coordinate with at	least the second Cast-enabled media player and (b) begin to operate in accordance with the second
least the second zone player to	predefined grouping of Cast-enabled media players such that the Cast-enabled media player is
output media in synchrony with	configured to coordinate with at least the third Cast-enabled media player to output media in
output of media by at least the	synchrony with output of media by at least the third Cast-enabled media player.
second zone player and (b)	
beginning to operate in	For instance, each Cast-enabled media player is programmed such that, based on the second
accordance with the second	instruction to operate in accordance with the second predefined "speaker group" that is received
predefined grouping of zone	while the Cast-enabled media player is operating in accordance with the first predefined "speaker
players such that the first zone	group," the Cast-enabled media player (a) ceases to operate in accordance with the first predefined
player is configured to	"speaker group" such that the Cast-enabled media player is no longer configured to coordinate with
coordinate with at least the third	the second Cast-enabled media player to output audio in synchrony with output of audio by the
zone player to output media in	second Cast-enabled media player and (b) begins to operate in accordance with the second

Case 6:20-cv-00881-ADA Document 39-2 Filed 01/14/21 Page 22 of 47

Claim 3	
synchrony with output of media by at least the third zone player.	predefined "speaker group" such that the Cast-enabled media player is configured to coordinate with the third Cast-enabled media player to output audio in synchrony with output of audio by the third Cast-enabled media player. See, e.g., https://support.google.com/googlenest/answer/7174267?co=GENIE.Platform%3DAndroid&hl=en ("Group any combination of Google Nest or Google Home speakers and displays and Chromecast devices together for synchronous music throughout the home."). Examples of this functionality are illustrated by the following screenshots from a Cast-enabled computing device installed with the Google Home app as well as other Cast-enabled apps such as Google Podcasts and YouTube Music, which show the predefined "speaker group" named "Party" (e.g., the second zone scene) being invoked while the first Cast-enabled media player named "Nest Mini" is operating in accordance with the predefined "speaker group" named "Upstairs," such that the first Cast-enabled media player named "Nest Mini" and the third Cast-enabled media player named "Home Mini" become configured to coordinate with one another to output audio in synchrony:

Case 6:20-cv-00881-ADA Document 39-2 Filed 01/14/21 Page 23 of 47



Case 6:20-cv-00881-ADA Document 39-2 Filed 01/14/21 Page 24 of 47

Ex. A – Initial Infringement Contention Chart: U.S. Patent No. 10,848,885

Claim 3			
	Cast to Chromecast Ultra Downstairs Nest Mini	positions Ariana Grande (IP-NEXT (SYRICS RELATED EVIDENCE SIMILATED	Party Party Party STOP CASTING STOP CASTING STOP CASTING

Claim 5

[5.0] The first zone player of claim 1, wherein the instruction to operate in accordance with the given one of the first and second zone scenes comprises an instruction to operate in accordance with the second zone scene, and

As described above, each Cast-enabled media player comprises a "zone player," as recited in claim 1. Moreover, each Cast-enabled media player is programmed such that the instruction to operate in accordance with the given one of the first and second zone scenes comprises an instruction to operate in accordance with the second zone scene.

For instance, each Cast-enabled media player is programmed such that, after a second predefined "speaker group" has been selected for invocation using a Cast-enabled computing device, the Cast-enabled media player has the capability to receive, from the Cast-enabled computing device over a Wi-Fi network, an instruction to operate in accordance with the second predefined "speaker group." *See, e.g.*,

https://support.google.com/googlenest/answer/7174267?co=GENIE.Platform%3DAndroid&hl=en; https://support.google.com/googlenest/answer/7030379?co=GENIE.Platform%3DAndroid&hl=en-

Case 6:20-cv-00881-ADA Document 39-2 Filed 01/14/21 Page 25 of 47

Claim 5	
	GB; https://support.google.com/googlenest/answer/7181830?hl=en-GB&ref_topic=7030084; https://support.google.com/chromecast/answer/3228332?hl=en-GB&ref_topic=4602553&co=GENIE.Platform%3DDesktop&oco=1.
	As one possibility, a Cast-enabled media player will receive such an instruction to operate in accordance with a second predefined "speaker group" from a Cast-enabled computing device as a result of a user inputting a request to invoke the second predefined "speaker group" via the Cast-enabled computing device's user interface. Illustrative examples of such user input are shown in Ex. D, claim limitations 1.10, 2.1.
wherein transitioning from operating in the standalone mode to operating in accordance with the given one of the first and second predefined groupings of zone players comprises transitioning	Each Cast-enabled media player is programmed such that transitioning from operating in the standalone mode to operating in accordance with the given one of the first and second predefined groupings of Cast-enabled media players comprises transitioning from operating in the standalone mode to operating in accordance with the second predefined grouping of Cast-enabled media players such that the Cast-enabled media player is configured to coordinate with at least the third Cast-enabled media player to output media in synchrony with output of media by at least the third Cast-enabled media player.
from operating in the standalone mode to operating in accordance with the second predefined grouping of zone players such that the first zone player is configured to coordinate with at least the third zone player to output media in synchrony with output of media by at least the third zone player.	For instance, each Cast-enabled media player is programmed such that, based on a received instruction to operate in accordance with a second predefined "speaker group" that includes the Cast-enabled media player and a third Cast-enabled media player in a networked Cast-enabled media playback system, the Cast-enabled media player transitions from operating in the standalone mode to operating in accordance with the second predefined "speaker group" such that the Cast-enabled media player is configured to coordinate with the third Cast-enabled media player over a Wi-Fi network in order to output audio in synchrony with output of audio by at least the third Cast-enabled media player in the selected second predefined "speaker group." <i>See, e.g.,</i> https://support.google.com/googlenest/answer/7174267?co=GENIE.Platform%3DAndroid&hl=en ("Group any combination of Google Nest or Google Home speakers and displays and Chromecast devices together for synchronous music throughout the home."). Examples of this functionality are illustrated in claim limitation 1.10 above.

Case 6:20-cv-00881-ADA Document 39-2 Filed 01/14/21 Page 26 of 47

Claim 6	
[6.0] The first zone player of claim 5, wherein the instruction is a first instruction, and wherein the first zone player further comprises program instructions stored on the non-transitory computer-readable medium that, when executed by the one or more processors, cause the first zone player to perform functions comprising:	As described above, each Cast-enabled media player comprises a "zone player," as recited in claim 5. Moreover, each Cast-enabled media player is programmed such that the instruction to operate in accordance with the second zone scene is a first instruction, and each Cast-enabled media player further comprises program instructions stored on the Cast-enabled media player's non-transitory computer-readable medium that, when executed by the Cast-enabled media player's one or more processors, cause the Cast-enabled media player to perform the functions identified below.
[6.1] while operating in accordance with the second predefined grouping of zone players, receiving, from the network device over the data network, a second instruction to operate in accordance with the first predefined grouping of zone players; and	Each Cast-enabled media player comprises program instructions stored on the Cast-enabled media player's non-transitory computer-readable medium that, when executed by the Cast-enabled media player's one or more processors, cause the Cast-enabled media player to, while operating in accordance with the second predefined grouping of Cast-enabled media players, receive, from the Cast-enabled computing device over the data network, a second instruction to operate in accordance with the first predefined grouping of Cast-enabled media players. For instance, each Cast-enabled media player is programmed such that, while operating in accordance with the second predefined "speaker group" that includes the Cast-enabled media player and a third Cast-enabled media player in a networked Cast-enabled media playback system, the Cast-enabled media player has the capability to receive, from a Cast-enabled computing device over a Wi-Fi network, a second instruction to operate in accordance with the first predefined "speaker group" that includes the Cast-enabled media player and a second Cast-enabled media player in the networked Cast-enabled media playback system. See, e.g., https://support.google.com/googlenest/answer/7174267?co=GENIE.Platform%3DAndroid&hl=en; https://support.google.com/googlenest/answer/7181830?hl=en-GB&ref_topic=7030084; https://support.google.com/chromecast/answer/3228332?hl=en-GB&ref_topic=4602553&co=GENIE.Platform%3DDesktop&co=1.


Case 6:20-cv-00881-ADA Document 39-2 Filed 01/14/21 Page 27 of 47

player's non-transitory computer-readable medium that, when executed by the Cast-enabled media player to, based on the second instruction, (a) cease to operate in accordance with the second predefined grouping of zone player is no longer configured to coordinate with at least the third zone player to output media in synchrony with output of media by at least the third zone player and (b) beginning to operate in accordance with the first predefined grouping of zone players such that the first predefined grouping of zone players such that the first predefined grouping of zone player is configured to coordinate with at least the third zone player and (b) beginning to operate in accordance with the first predefined grouping of zone players such that the first zone player is configured to coordinate with at least the second Cast-enabled media player to output media in synchrony with output of media by at least the second Cast-enabled media player to output media in synchrony with output of media by at least the second Cast-enabled media player to output media in synchrony with output of media by at least the second Cast-enabled media player. For instance, each Cast-enabled media player is programmed such that, based on the second instruction, (a) cease to operate in accordance with the first predefined grouping of Cast-enabled media player to output media in synchrony with output of media player is operate in accordance with the first predefined grouping of zone player such that the first predefined grouping of zone player is operate in accordance with the first predefined grouping of zone player and (b) begin to operate in accordance with the Cast-enabled media player to output media in synchrony with output of media player is operate in accordance with the Cast-enabled media player. For instance, each Cast-enabled media player is programmed such that, based on the second instruction, (a) cease to operate in accordance with the first predefined grouping of zone player and (b) begin to operate in accordance with t	Claim 6	
player's non-transitory computer-readable medium that, when executed by the Cast-enabled media player to, based on the second instruction, (a) cease to operate in accordance with the second predefined grouping of zone player is no longer configured to coordinate with at least the third zone player to output media in synchrony with output of media by at least the third zone player and (b) beginning to operate in accordance with the first predefined grouping of zone players such that the first predefined grouping of zone players such that the first predefined grouping of zone player is configured to coordinate with at least the third zone player and (b) beginning to operate in accordance with the first predefined grouping of zone players such that the first zone player such that the first zone player is configured to coordinate with at least the second Cast-enabled media player to output media in synchrony with output of media by at least the second Cast-enabled media player to output media in synchrony with output of media by at least the second Cast-enabled media player to output media in synchrony with output of media by at least the second Cast-enabled media player to output media in synchrony with output of media by at least the second Cast-enabled media player to output media in synchrony with output of media by at least the second Cast-enabled media player to output media in synchrony with output of media by at least the second Cast-enabled media player to output media in synchrony with output of media player is operate in accordance with the first predefined grouping of zone player and (b) begin to operate in accordance with the Cast-enabled media player to output media in synchrony with output of media player is operate in accordance with the Cast-enabled media player. For instance, each Cast-enabled media player is programmed such that, based on the second instruction, (a) cease to operate in accordance with the first predefined grouping of zone player and (b) begin to operate in accordance with the Ca		accordance with a second predefined "speaker group" from a Cast-enabled computing device as a result of a user inputting a request to invoke the second predefined "speaker group" via the Cast-enabled computing device's user interface. Illustrative examples of such user input are shown in
media in synchrony with output of media by at least the second zone player. predefined "speaker group" such that the Cast-enabled media player is configured to coordinate with the second Cast-enabled media player to output audio in synchrony with output of audio by the second Cast-enabled media player. See, e.g., https://support.google.com/googlenest/answer/7174267?co=GENIE.Platform%3DAndroid&hl=en	instruction, (a) ceasing to operate in accordance with the second predefined grouping of zone players such that the first zone player is no longer configured to coordinate with at least the third zone player to output media in synchrony with output of media by at least the third zone player and (b) beginning to operate in accordance with the first predefined grouping of zone players such that the first zone player is configured to coordinate with at least the second zone player to output media in synchrony with output of media by at least the second	Each Cast-enabled media player comprises program instructions stored on the Cast-enabled media player's non-transitory computer-readable medium that, when executed by the Cast-enabled media player's one or more processors, cause the Cast-enabled media player to, based on the second instruction, (a) cease to operate in accordance with the second predefined grouping of Cast-enabled media players such that the Cast-enabled media player is no longer configured to coordinate with at least the third Cast-enabled media player to output media in synchrony with output of media by at least the third Cast-enabled media player and (b) begin to operate in accordance with the first predefined grouping of Cast-enabled media players such that the Cast-enabled media player is configured to coordinate with at least the second Cast-enabled media player to output media in synchrony with output of media by at least the second Cast-enabled media player. For instance, each Cast-enabled media player is programmed such that, based on the second instruction to operate in accordance with the first predefined "speaker group" that is received while the Cast-enabled media player (a) ceases to operate in accordance with the second predefined "speaker group" such that the Cast-enabled media player is no longer configured to coordinate with the third Cast-enabled media player to output audio in synchrony with output of audio by the third Cast-enabled media player and (b) begins to operate in accordance with the first predefined "speaker group" such that the Cast-enabled media player is configured to coordinate with the second Cast-enabled media player to output audio in synchrony with output of audio by the second Cast-enabled media player to output audio in synchrony with output of audio by the second Cast-enabled media player to output audio in synchrony with output of audio by the second Cast-enabled media player to output audio in synchrony with output of audio by the second Cast-enabled media player. See, e.g., https://support.google.com

Case 6:20-cv-00881-ADA Document 39-2 Filed 01/14/21 Page 28 of 47

Claim 6	
	Google Podcasts and YouTube Music, which show the predefined "speaker group" named "Upstairs" (e.g., the first zone scene) being invoked while the first Cast-enabled media player named "Nest Mini" is operating in accordance with the predefined "speaker group" named "Party," such that the first Cast-enabled media player named "Nest Mini" and the second Cast-enabled media player named "Hub Speaker" become configured to coordinate with one another to output audio in synchrony:
	Hub Speaker Nest Mini Blue Play male Play male Play male Groups James Groups James Groups James Groups James Groups James Groups James James

Case 6:20-cv-00881-ADA Document 39-2 Filed 01/14/21 Page 29 of 47



Case 6:20-cv-00881-ADA Document 39-2 Filed 01/14/21 Page 30 of 47

Claim 6	
	Various other Cast-enabled apps provide similar functionality.

Claim 7	
[7.0] The first zone player of claim 1, wherein the first predefined grouping of zone players does not include the third zone player, and wherein the second predefined grouping of zone players does not include the second zone player.	As described above, each Cast-enabled media player comprises a "zone player," as recited in claim 1. Moreover, each Cast-enabled media player is programmed such that the first predefined grouping of Cast-enabled media players does not include the third Cast-enabled media player, and wherein the second predefined grouping of Cast-enabled media players does not include the second Cast-enabled media player. For instance, each Cast-enabled media player is programmed such that the first predefined "speaker group" includes the Cast-enabled media player and the second Cast-enabled media player in the networked Cast-enabled media player with the networked Cast-enabled media player and the third Cast-enabled media player in the networked Cast-enabled media player and the third Cast-enabled media player in the networked Cast-enabled media player and the third Cast-enabled media player. Compare claim limitation 6.2 (illustrating a predefined "speaker group" named "Upstairs" that includes a first Cast-enabled media player named "Nest Mini" and a second Cast-enabled media player named "Hub Speaker" but does not include a third Cast-enabled media player named "Home Mini") with claim limitation 3.2 (illustrating a predefined "speaker group" named "Party" that includes the first Cast-enabled media player named "Nest Mini" and the third Cast-enabled media player named "Home Mini" but does not include the second Cast-enabled media player named "Home Mini" but does not include the second Cast-enabled media player named "Hub Speaker"); see also, e.g., https://support.google.com/googlenest/answer/7174267?co=GENIE.Platform%3DAndroid&hl=en.

Claim 8	
[8.0] A non-transitory	Google's "Cast" technology enables Cast-enabled media players to be included in a "speaker
computer-readable medium,	group" "for synchronous music throughout the home." These Cast-enabled media players include
wherein the non-transitory	Google's own Cast-enabled media players, such as the Home Mini, Nest Mini, Home, Home Max,
computer-readable medium is	Home Hub, Nest Hub, Nest Hub Max, Nest Wifi Point, Chromecast, Chromecast Audio,
provisioned with program	Chromecast Ultra, Chromecast with Google TV, and Nest Audio media players, as well as various
instructions that, when executed	other third-party media players with built-in Cast functionality. See, e.g.,
by one or more processors,	https://store.google.com/us/product/google_home_max?hl=en-US;

Case 6:20-cv-00881-ADA Document 39-2 Filed 01/14/21 Page 31 of 47

Claim 8	
cause a first zone player to	https://store.google.com/us/product/chromecast_google_tv_compare?hl=en-US;
perform functions comprising:	https://www.google.com/chromecast/built-in/audio/.
	To facilitate this grouping functionality, the Google Home app allows a user to "[c]reate and
	manage speaker groups" from the user's smartphone, tablet, or computer device, as well as to
	"cast" to a previously-created "speaker group" from the user's smartphone, tablet, or computer device, which would cause the "speaker group" to be invoked.
	https://support.google.com/googlenest/answer/7174267?co=GENIE.Platform%3DAndroid&hl=en.
	In addition, there are many other Cast-enabled Android, iOS, or Chrome apps that allow a user to "cast" to a previously-created "speaker group" using the user's smartphone, tablet, or computer
	device, including certain of Google's own Cast-enabled apps (e.g., YouTube Music app, the
	Google Play Music app, the Google Podcasts, etc.) as well as certain third-party Cast-enabled apps.
	The Google Home app, either alone or together with one or more of these other Cast-enabled apps,
	can be installed and run on any smartphone, tablet, or computer device that supports Android, iOS,
	or Chrome apps, including Google's own "Pixel" smartphone, tablet, and computer devices (e.g.,
	the Pixel 3, Pixel 3 XL, Pixel 3a, Pixel 3a XL, Pixel 4, Pixel 4 XL, Pixel 4a, Pixel 4a (5G), Pixel 5
	phones, the Pixel Slate tablet, and the Pixelbook and Pixelbook Go laptops) as well as many third-party smartphone, tablet, or computer device. <i>See, e.g.</i> ,
	https://store.google.com/us/magazine/compare pixel;
	https://store.google.com/us/product/google pixelbook specs;
	https://store.google.com/us/product/pixel_slate_specs. For purposes of this chart, any smartphone,
	tablet, or computer device installed with at least the Google Home app will be referred to as a
	"Cast-enabled computing device."
	Certain of the aforementioned Cast-enabled media players also include a display screen and
	firmware that enables these Cast-enabled media players to additionally function as a control device
	for other Cast-enabled media players. This sub-category of Cast-enabled media players, which will
	be referred to herein as "Cast-enabled displays," includes Google's Home Hub, Nest Hub, and Nest
	Hub Max media players. See, e.g., https://store.google.com/us/product/google_nest_hub?hl=en-
	US#overview-modal-music; https://store.google.com/us/product/google_nest_hub_max?hl=en-US;
	https://support.google.com/googlenest/answer/9165738?hl=en-GB&ref_topic=7030084. Similar to
	the Cast-enabled apps installed on the Cast-enabled computing devices, the firmware installed on

Case 6:20-cv-00881-ADA Document 39-2 Filed 01/14/21 Page 32 of 47

Claim 8	
	these Cast-enabled displays allows a user to "cast" to a previously-created "speaker group" using the Cast-enabled display's user interface.
	As described in further detail below, each Cast-enabled media player is a "zone player" that comprises a non-transitory computer-readable medium provisioned with program instructions that, when executed by the Cast-enabled media player's processor, cause the Cast-enabled media player to perform the functions recited in claim 8, and each Cast-enabled computing device comprises a "network device" as recited in claim 8.
[8.1] while operating in a standalone mode in which the first zone player is configured to play back media individually in a networked media playback system comprising the first zone player and at least two other zone players:	Each Cast-enabled media player comprises a non-transitory computer-readable medium provisioned with program instructions that, when executed by a Cast-enabled media player's processor, cause the Cast-enabled media player to, while operating in a standalone mode in which the Cast-enabled media player is configured to play back media individually in a networked Cast-enabled media playback system comprising the Cast-enabled media player and at least two other Cast-enabled media players, perform the functions identified below. <i>See</i> claim limitation 1.5.
[8.2] (i) receiving, from a network device over a data network, a first indication that the first zone player has been added to a first zone scene comprising a first predefined grouping of zone players including at least the first zone player and a second zone player that are to be configured for synchronous playback of media when the first zone scene is invoked; and	Each Cast-enabled media player comprises a non-transitory computer-readable medium provisioned with program instructions that, when executed by a Cast-enabled media player's processor, cause the Cast-enabled media player to, receive, from a Cast-enabled computing device over a data network, a first indication that the Cast-enabled media player has been added to a first zone scene comprising a first predefined grouping of Cast-enabled media players including at least the Cast-enabled media player and a second Cast-enabled media player that are to be configured for synchronous playback of media when the first zone scene is invoked. <i>See</i> claim limitation 1.6.
[8.3] (ii) receiving, from the	Each Cast-enabled media player comprises a non-transitory computer-readable medium
network device over the data network, a second indication	provisioned with program instructions that, when executed by a Cast-enabled media player's processor, cause the Cast-enabled media player to receive, from a Cast-enabled computing device

Case 6:20-cv-00881-ADA Document 39-2 Filed 01/14/21 Page 33 of 47

Claim 8	
that the first zone player has been added to a second zone scene comprising a second predefined grouping of zone players including at least the first zone player and a third zone player that are to be configured for synchronous playback of media when the second zone scene is invoked, wherein the second zone player is different than the third zone player;	over a data network, a second indication that the Cast-enabled media player has been added to a second zone scene comprising a second predefined grouping of Cast-enabled media players including at least the Cast-enabled media player and a third Cast-enabled media player that are to be configured for synchronous playback of media when the first zone scene is invoked, where the second Cast-enabled media player is different than the third Cast-enabled media player. <i>See</i> claim limitation 1.7.
[8.4] after receiving the first and second indications, continuing to operate in the standalone mode until a given one of the first and second zone scenes has been selected for invocation;	Each Cast-enabled media player comprises a non-transitory computer-readable medium provisioned with program instructions that, when executed by a Cast-enabled media player's processor, cause the Cast-enabled media player to, after receiving the first and second indications, continue to operate in the standalone mode until a given one of the first and second zone scenes has been selected for invocation. <i>See</i> claim limitation 1.8.
[8.5] after the given one of the first and second zone scenes has been selected for invocation, receiving, from the network device over the data network, an instruction to operate in accordance with a given one of the first and second zone scenes respectively comprising a given one of the first and second predefined groupings of zone players; and	Each Cast-enabled media player comprises a non-transitory computer-readable medium provisioned with program instructions that, when executed by a Cast-enabled media player's processor, cause the Cast-enabled media player to, after the given one of the first and second zone scenes has been selected for invocation, receive, from the Cast-enabled computing device over the data network, an instruction to operate in accordance with a given one of the first and second zone scenes respectively comprising a given one of the first and second predefined groupings of Cast-enabled media players. <i>See</i> claim limitation 1.9.

Case 6:20-cv-00881-ADA Document 39-2 Filed 01/14/21 Page 34 of 47

Ex. A – Initial Infringement Contention Chart: U.S. Patent No. 10,848,885

Claim 8

[8.6] based on the instruction, transitioning from operating in the standalone mode to operating in accordance with the given one of the first and second predefined groupings of zone players such that the first zone player is configured to coordinate with at least one other zone player in the given one of the first and second predefined groupings of zone players over a data network in order to output media in synchrony with output of media by the at least one other zone player in the given one of the first and second predefined groupings of zone players.

Each Cast-enabled media player comprises a non-transitory computer-readable medium provisioned with program instructions that, when executed by a Cast-enabled media player's processor, cause the Cast-enabled media player to, based on the instruction, transition from operating in the standalone mode to operating in accordance with the given one of the first and second predefined groupings of Cast-enabled media players such that the Cast-enabled media player is configured to coordinate with at least one other Cast-enabled media player in the given one of the first and second predefined groupings of Cast-enabled media players over a data network in order to output media in synchrony with output of media by the at least one other Cast-enabled media player in the given one of the first and second predefined groupings of Cast-enabled media players. See claim limitation 1.10.

Claim 9

[9.0] The non-transitory computer-readable medium of claim 8, wherein the instruction to operate in accordance with the given one of the first and second zone scenes comprises an instruction to operate in accordance with the first zone scene, and

As described above, each Cast-enabled media player comprises a "non-transitory computer-readable medium," as recited in claim 8. Moreover, in accordance with the program instructions, each Cast-enabled media player is programmed such that the instruction to operate in accordance with the given one of the first and second zone scenes comprises an instruction to operate in accordance with the first zone scene. *See* claim limitation 2.0.

Case 6:20-cv-00881-ADA Document 39-2 Filed 01/14/21 Page 35 of 47

Ex. A – Initial Infringement Contention Chart: U.S. Patent No. 10,848,885

Claim 9

[9.1] wherein transitioning from operating in the standalone mode to operating in accordance with the given one of the first and second predefined groupings of zone players comprises transitioning from operating in the standalone mode to operating in accordance with the first predefined grouping of zone players such that the first zone player is configured to coordinate with at least the second zone player to output media in synchrony with output of media by at least the second zone player.

In accordance with the program instructions, each Cast-enabled media player is programmed such that transitioning from operating in the standalone mode to operating in accordance with the given one of the first and second predefined groupings of Cast-enabled media players comprises transitioning from operating in the standalone mode to operating in accordance with the first predefined grouping of Cast-enabled media players such that the Cast-enabled media player is configured to coordinate with at least the second Cast-enabled media player to output media in synchrony with output of media by at least the second Cast-enabled media player. *See* claim limitation 2.1.

Claim 10

[10.0] The non-transitory computer-readable medium of claim 9, wherein the instruction is a first instruction, and wherein the non-transitory computer-readable medium is also provisioned with program instructions that, when executed by the one or more processors, cause the first zone player to perform functions comprising:

As described above, each Cast-enabled media player comprises a "non-transitory computer-readable medium," as recited in claim 9. Moreover, in accordance with the program instructions, each Cast-enabled media player is programmed such that the instruction to operate in accordance with the first zone scene is a first instruction, and each Cast-enabled media player comprises a non-transitory computer-readable medium provisioned with program instructions that, when executed by the Cast-enabled media player, cause the Cast-enabled media player to perform the functions identified below.

Case 6:20-cv-00881-ADA Document 39-2 Filed 01/14/21 Page 36 of 47

Claim 10	
[10.1] while operating in accordance with the first predefined grouping of zone players, receiving, from the	Each Cast-enabled media player comprises a non-transitory computer-readable medium provisioned with program instructions that, when executed by the Cast-enabled media player, cause the Cast-enabled media player to, while operating in accordance with the first predefined grouping of Cast-enabled media players, receive, from the Cast-enabled computing device over the data
network device over the data network, a second instruction to operate in accordance with the second predefined grouping of zone players; and	network, a second instruction to operate in accordance with the second predefined grouping of Cast-enabled media players. <i>See</i> claim limitation 3.1.
[10.2] based on the second instruction, (a) ceasing to operate in accordance with the first predefined grouping of zone players such that the first zone player is no longer configured to coordinate with at least the second zone player to output media in synchrony with output of media by at least the second zone player and (b) beginning to operate in accordance with the second predefined grouping of zone players such that the first zone player is configured to coordinate with at least the third zone player to output media in synchrony with output of media	Each Cast-enabled media player comprises a non-transitory computer-readable medium provisioned with program instructions that, when executed by the Cast-enabled media player, cause the Cast-enabled media player to, based on the second instruction, (a) cease to operate in accordance with the first predefined grouping of Cast-enabled media players such that the Cast-enabled media player is no longer configured to coordinate with at least the second Cast-enabled media player to output media in synchrony with output of media by at least the second Cast-enabled media player and (b) begin to operate in accordance with the second predefined grouping of Cast-enabled media players such that the Cast-enabled media player is configured to coordinate with at least the third Cast-enabled media player to output media in synchrony with output of media by at least the third Cast-enabled media player. See claim limitation 3.2.

Case 6:20-cv-00881-ADA Document 39-2 Filed 01/14/21 Page 37 of 47

Claim 12	
[12.0] The non-transitory	As described above, each Cast-enabled media player comprises a "non-transitory computer-
computer-readable medium of	readable medium," as recited in claim 8. Moreover, in accordance with the program instructions,
claim 8, wherein the instruction	each Cast-enabled media player is programmed such that the instruction to operate in accordance
to operate in accordance with	with the given one of the first and second zone scenes comprises an instruction to operate in
the given one of the first and	accordance with the second zone scene. See claim limitation 5.0.
second zone scenes comprises	
an instruction to operate in	
accordance with the second	
zone scene, and	
[12.1] wherein transitioning	In accordance with the program instructions, each Cast-enabled media player is programmed such
from operating in the	that transitioning from operating in the standalone mode to operating in accordance with the given
standalone mode to operating in	one of the first and second predefined groupings of Cast-enabled media players comprises
accordance with the given one	transitioning from operating in the standalone mode to operating in accordance with the second
of the first and second	predefined grouping of Cast-enabled media players such that the Cast-enabled media player is
predefined groupings of zone	configured to coordinate with at least the third Cast-enabled media player to output media in
players comprises transitioning	synchrony with output of media by at least the third Cast-enabled media player. See claim
from operating in the	limitation 5.1.
standalone mode to operating in	
accordance with the second	
predefined grouping of zone	
players such that the first zone	
player is configured to	
coordinate with at least the third	
zone player to output media in	
synchrony with output of media	
by at least the third zone player.	

Claim 13	
[13.0] The non-transitory	As described above, each Cast-enabled media player comprises a "non-transitory computer-
computer-readable medium of	readable medium," as recited in claim 12. Moreover, in accordance with the program instructions,
claim 12, wherein the	each Cast-enabled media player is programmed such that the instruction to operate in accordance
instruction is a first instruction,	with the second zone scene is a first instruction, and each Cast-enabled media player comprises a

Case 6:20-cv-00881-ADA Document 39-2 Filed 01/14/21 Page 38 of 47

Claim 13	
and wherein the non-transitory	non-transitory computer-readable medium provisioned with program instructions that, when
computer-readable medium is	executed by the Cast-enabled media player, cause the Cast-enabled media player to perform the
also provisioned with program	functions identified below. See claim limitation 6.0.
instructions that, when executed	
by the one or more processors,	
cause the first zone player to	
perform functions comprising:	
while operating in accordance	Each Cast-enabled media player comprises a non-transitory computer-readable medium
with the second predefined	provisioned with program instructions that, when executed by the Cast-enabled media player, cause
grouping of zone players,	the Cast-enabled media player to, while operating in accordance with the second predefined
receiving, from the network	grouping of Cast-enabled media players, receive, from the Cast-enabled computing device over the
device over the data network, a	data network, a second instruction to operate in accordance with the first predefined grouping of
second instruction to operate in	Cast-enabled media players. <i>See</i> claim limitation 6.1.
accordance with the first	
predefined grouping of zone	
players; and	
based on the second instruction,	Each Cast-enabled media player comprises a non-transitory computer-readable medium
(a) ceasing to operate in	provisioned with program instructions that, when executed by the Cast-enabled media player, cause
accordance with the second	the Cast-enabled media player to, based on the second instruction, (a) cease to operate in
predefined grouping of zone	accordance with the second predefined grouping of Cast-enabled media players such that the Cast-
players such that the first zone	enabled media player is no longer configured to coordinate with at least the third Cast-enabled
player is no longer configured	media player to output media in synchrony with output of media by at least the third Cast-enabled
to coordinate with at least the	media player and (b) begin to operate in accordance with the first predefined grouping of Cast-
third zone player to output	enabled media players such that the Cast-enabled media player is configured to coordinate with at
media in synchrony with output	least the second Cast-enabled media player to output media in synchrony with output of media by
of media by at least the third	at least the second Cast-enabled media player. See claim limitation 6.2.
zone player and (b) beginning	
to operate in accordance with	
the first predefined grouping of	
zone players such that the first	
zone player is configured to	
coordinate with at least the	

Case 6:20-cv-00881-ADA Document 39-2 Filed 01/14/21 Page 39 of 47

Claim 13	
second zone player to output	
media in synchrony with output	
of media by at least the second	
zone player.	

Claim 14	
[14.0] The non-transitory computer-readable medium of claim 8, wherein the first predefined grouping of zone players does not include the third zone player, and wherein the second predefined grouping of zone players does not include the second zone player.	As described above, each Cast-enabled media player comprises a "non-transitory computer-readable medium," as recited in claim 12. Moreover, in accordance with the program instructions, each Cast-enabled media player is programmed such that the first predefined grouping of Cast-enabled media players does not include the third Cast-enabled media player, and wherein the second predefined grouping of Cast-enabled media players does not include the second Cast-enabled media player. <i>See</i> claim limitation 7.0.

Claim 15	
[15.0] A method executed by a	Google's "Cast" technology enables Cast-enabled media players to be included in a "speaker
first zone player, the method	group" "for synchronous music throughout the home." These Cast-enabled media players include
comprising:	Google's own Cast-enabled media players, such as the Home Mini, Nest Mini, Home, Home Max,
	Home Hub, Nest Hub, Nest Hub Max, Nest Wifi Point, Chromecast, Chromecast Audio,
	Chromecast Ultra, Chromecast with Google TV, and Nest Audio media players, as well as various
	other third-party media players with built-in Cast functionality. See, e.g.,
	<pre>https://store.google.com/us/product/google_home_max?hl=en-US;</pre>
	https://store.google.com/us/product/chromecast_google_tv_compare?hl=en-US;
	https://www.google.com/chromecast/built-in/audio/.
	To facilitate this grouping functionality, the Google Home app allows a user to "[c]reate and
	manage speaker groups" from the user's smartphone, tablet, or computer device, as well as to
	"cast" to a previously-created "speaker group" from the user's smartphone, tablet, or computer

Case 6:20-cv-00881-ADA Document 39-2 Filed 01/14/21 Page 40 of 47

Claim 15	
	device, which would cause the "speaker group" to be invoked.
	https://support.google.com/googlenest/answer/7174267?co=GENIE.Platform%3DAndroid&hl=en.
	In addition, there are many other Cast-enabled Android, iOS, or Chrome apps that allow a user to
	"cast" to a previously-created "speaker group" using the user's smartphone, tablet, or computer
	device, including certain of Google's own Cast-enabled apps (e.g., YouTube Music app, the
	Google Play Music app, the Google Podcasts, etc.) as well as certain third-party Cast-enabled apps.
	The Google Home app, either alone or together with one or more of these other Cast-enabled apps,
	can be installed and run on any smartphone, tablet, or computer device that supports Android, iOS,
	or Chrome apps, including Google's own "Pixel" smartphone, tablet, and computer devices (e.g.,
	the Pixel 3, Pixel 3 XL, Pixel 3a, Pixel 3a XL, Pixel 4, Pixel 4 XL, Pixel 4a, Pixel 4a (5G), Pixel 5
	phones, the Pixel Slate tablet, and the Pixelbook and Pixelbook Go laptops) as well as many third-
	party smartphone, tablet, or computer device. See, e.g.,
	https://store.google.com/us/magazine/compare_pixel;
	https://store.google.com/us/product/google_pixelbook_specs;
	https://store.google.com/us/product/pixel_slate_specs. For purposes of this chart, any smartphone,
	tablet, or computer device installed with at least the Google Home app will be referred to as a
	"Cast-enabled computing device."
	Certain of the aforementioned Cast-enabled media players also include a display screen and
	firmware that enables these Cast-enabled media players to additionally function as a control device
	for other Cast-enabled media players. This sub-category of Cast-enabled media players, which will
	be referred to herein as "Cast-enabled displays," includes Google's Home Hub, Nest Hub, and Nest
	Hub Max media players. See, e.g., https://store.google.com/us/product/google_nest_hub?hl=en-
	US#overview-modal-music; https://store.google.com/us/product/google_nest_hub_max?hl=en-US;
	https://support.google.com/googlenest/answer/9165738?hl=en-GB&ref_topic=7030084. Similar to
	the Cast-enabled apps installed on the Cast-enabled computing devices, the firmware installed on
	these Cast-enabled displays allows a user to "cast" to a previously-created "speaker group" using
	the Cast-enabled display's user interface.
	As described in further detail below, each Cast-enabled media player comprises a "zone player"
	that practices the method of claim 15, and each Cast-enabled computing device comprises a
	"network device" as recited in claim 15.

Case 6:20-cv-00881-ADA Document 39-2 Filed 01/14/21 Page 41 of 47

Claim 15	
[15.1] while operating in a	Each Cast-enabled media player practices the steps identified below while operating in a standalone
standalone mode in which the	mode in which the Cast-enabled media player is configured to play back media individually in a
first zone player is configured	networked Cast-enabled media playback system comprising the Cast-enabled media player and at
to play back media individually	least two other Cast-enabled media players. See claim limitation 1.5.
in a networked media playback	
system comprising the first	
zone player and at least two	
other zone players:	
[15.2] (i) receiving, from a	Each Cast-enabled media player practices the step of receiving, from a Cast-enabled computing
network device over a data	device over a data network, a first indication that the Cast-enabled media player has been added to
network, a first indication that	a first zone scene comprising a first predefined grouping of Cast-enabled media players including
the first zone player has been	at least the Cast-enabled media player and a second Cast-enabled media player that are to be
added to a first zone scene	configured for synchronous playback of media when the first zone scene is invoked. See claim
comprising a first predefined	limitation 1.6.
grouping of zone players	
including at least the first zone	
player and a second zone player	
that are to be configured for	
synchronous playback of media	
when the first zone scene is	
invoked; and	
[15.3] (ii) receiving, from the	Each Cast-enabled media player practices the step of receiving, from a Cast-enabled computing
network device over the data	device over a data network, a second indication that the Cast-enabled media player has been added
network, a second indication	to a second zone scene comprising a second predefined grouping of Cast-enabled media players
that the first zone player has	including at least the Cast-enabled media player and a third Cast-enabled media player that are to
been added to a second zone	be configured for synchronous playback of media when the first zone scene is invoked, where the
scene comprising a second	second Cast-enabled media player is different than the third Cast-enabled media player. See claim
predefined grouping of zone	limitation 1.7.
players including at least the	
first zone player and a third	
zone player that are to be	
configured for synchronous	

Case 6:20-cv-00881-ADA Document 39-2 Filed 01/14/21 Page 42 of 47

Claim 15	
playback of media when the	
second zone scene is invoked,	
wherein the second zone player	
is different than the third zone	
player;	
[15.4] after receiving the first	Each Cast-enabled media player practices the step of, after receiving the first and second
and second indications,	indications, continuing to operate in the standalone mode until a given one of the first and second
continuing to operate in the	zone scenes has been selected for invocation. See claim limitation 1.8.
standalone mode until a given	
one of the first and second zone	
scenes has been selected for	
invocation;	
[15.5] after the given one of the	Each Cast-enabled media player practices the step of, after the given one of the first and second
first and second zone scenes has	zone scenes has been selected for invocation, receiving, from the Cast-enabled computing device
been selected for invocation,	over the data network, an instruction to operate in accordance with a given one of the first and
receiving, from the network	second zone scenes respectively comprising a given one of the first and second predefined
device over the data network,	groupings of Cast-enabled media players. <i>See</i> claim limitation 1.9.
an instruction to operate in	
accordance with a given one of	
the first and second zone scenes	
respectively comprising a given	
one of the first and second	
predefined groupings of zone	
players; and	
[15.6] based on the instruction,	Each Cast-enabled media player practices the step of, based on the instruction, transitioning from
transitioning from operating in	operating in the standalone mode to operating in accordance with the given one of the first and
the standalone mode to	second predefined groupings of Cast-enabled media players such that the Cast-enabled media
operating in accordance with	player is configured to coordinate with at least one other Cast-enabled media player in the given
the given one of the first and	one of the first and second predefined groupings of Cast-enabled media players over a data network
second predefined groupings of	in order to output media in synchrony with output of media by the at least one other Cast-enabled
zone players such that the first	media player in the given one of the first and second predefined groupings of Cast-enabled media
zone player is configured to	players. See claim limitation 1.10.

Case 6:20-cv-00881-ADA Document 39-2 Filed 01/14/21 Page 43 of 47

	Claim 15
(coordinate with at least one
(other zone player in the given
(one of the first and second
	oredefined groupings of zone
1	olayers over a data network in
(order to output media in
5	synchrony with output of media
1	by the at least one other zone
1	player in the given one of the
1	irst and second predefined
٤	groupings of zone players.

Claim 16	
[16.0] The method of claim 15, wherein the instruction to operate in accordance with the given one of the first and second zone scenes comprises an instruction to operate in accordance with the first zone scene, and	As described above, each Cast-enabled media player practices the method of claim 15. Moreover, each Cast-enabled media player practices the aforementioned steps where the instruction to operate in accordance with the given one of the first and second zone scenes comprises an instruction to operate in accordance with the first zone scene. <i>See</i> claim limitation 2.0.
[16.1] wherein transitioning from operating in the standalone mode to operating in accordance with the given one of the first and second predefined groupings of zone players comprises transitioning from operating in the standalone mode to operating in accordance with the first predefined grouping of zone	Each Cast-enabled media player practices the aforementioned steps where transitioning from operating in the standalone mode to operating in accordance with the given one of the first and second predefined groupings of Cast-enabled media players comprises transitioning from operating in the standalone mode to operating in accordance with the first predefined grouping of Cast-enabled media players such that the Cast-enabled media player is configured to coordinate with at least the second Cast-enabled media player to output media in synchrony with output of media by at least the second Cast-enabled media player. <i>See</i> claim limitation 2.1.

Case 6:20-cv-00881-ADA Document 39-2 Filed 01/14/21 Page 44 of 47

Claim 16	
players such that the first zone	
player is configured to	
coordinate with at least the	
second zone player to output	
media in synchrony with output	
of media by at least the second	
zone player.	
Claim 17	
[17.0] The method of claim 16,	As described above, each Cast-enabled media player practices the method of claim 16. Moreover,
wherein the instruction is a first	each Cast-enabled media player practices the aforementioned steps where the instruction to operate
instruction, the method further	in accordance with the first zone scene is a first instruction, and each Cast-enabled media player
comprising:	practices the steps identified below. See claim limitation 3.0.
[17.1] while operating in	Each Cast-enabled media player practices the step of, while operating in accordance with the first
accordance with the first	predefined grouping of Cast-enabled media players, receiving, from the Cast-enabled computing
predefined grouping of zone	device over the data network, a second instruction to operate in accordance with the second
players, receiving, from the	predefined grouping of Cast-enabled media players. See claim limitation 3.1.
network device over the data	productined grouping of east charical media players. See claim immunion stri
network, a second instruction to	
operate in accordance with the	
second predefined grouping of	
zone players; and	
[17.2] based on the second	Each Cast-enabled media player practices the step of, based on the second instruction, (a) ceasing
instruction, (a) ceasing to	to operate in accordance with the first predefined grouping of Cast-enabled media players such that
operate in accordance with the	the Cast-enabled media player is no longer configured to coordinate with at least the second Cast-
±	
first predefined grouping of	enabled media player to output media in synchrony with output of media by at least the second
zone players such that the first	Cast-enabled media player and (b) beginning to operate in accordance with the second predefined
zone player is no longer	grouping of Cast-enabled media players such that the Cast-enabled media player is configured to
configured to coordinate with at	coordinate with at least the third Cast-enabled media player to output media in synchrony with
least the second zone player to	output of media by at least the third Cast-enabled media player. <i>See</i> claim limitation 3.2.
output media in synchrony with	
output of media by at least the	

Case 6:20-cv-00881-ADA Document 39-2 Filed 01/14/21 Page 45 of 47

Claim 17	
second zone player and (b)	
beginning to operate in	
accordance with the second	
predefined grouping of zone	
players such that the first zone	e
player is configured to	
coordinate with at least the third	ird
zone player to output media in	1
synchrony with output of media	lia
by at least the third zone player.	er.

Claim 19	
[19.0] The method of claim 15, wherein the instruction to operate in accordance with the given one of the first and second zone scenes comprises an instruction to operate in accordance with the second zone scene, and	As described above, each Cast-enabled media player practices the method of claim 15. Moreover, each Cast-enabled media player practices the aforementioned steps where the instruction to operate in accordance with the given one of the first and second zone scenes comprises an instruction to operate in accordance with the second zone scene. <i>See</i> claim limitation 5.0.
[19.1] wherein transitioning from operating in the standalone mode to operating in accordance with the given one of the first and second predefined groupings of zone players comprises transitioning from operating in the standalone mode to operating in accordance with the second predefined grouping of zone players such that the first zone	Each Cast-enabled media player practices the aforementioned steps where transitioning from operating in the standalone mode to operating in accordance with the given one of the first and second predefined groupings of Cast-enabled media players comprises transitioning from operating in the standalone mode to operating in accordance with the second predefined grouping of Cast-enabled media players such that the Cast-enabled media player is configured to coordinate with at least the third Cast-enabled media player to output media in synchrony with output of media by at least the third Cast-enabled media player. <i>See</i> claim limitation 5.1.

Case 6:20-cv-00881-ADA Document 39-2 Filed 01/14/21 Page 46 of 47

Claim 19	
player is configured to	
coordinate with at least the third	
zone player to output media in	
synchrony with output of media	
by at least the third zone player.	
Claim 20	
[20.0] The method of claim 19,	As described above, each Cast-enabled media player practices the method of claim 19. Moreover,
wherein the instruction is a first	each Cast-enabled media player practices the aforementioned steps where the instruction to operate
instruction, the method further	in accordance with the second zone scene is a first instruction, and each Cast-enabled media player
comprising:	practices the steps identified below. See claim limitation 6.0.
[20.1] while operating in	Each Cast-enabled media player practices the step of, while operating in accordance with the
accordance with the second	second predefined grouping of Cast-enabled media players, receiving, from the Cast-enabled
predefined grouping of zone	computing device over the data network, a second instruction to operate in accordance with the first
players, receiving, from the	predefined grouping of Cast-enabled media players. See claim limitation 6.1.
network device over the data	
network, a second instruction to	
operate in accordance with the	
first predefined grouping of	
zone players; and	
[20.2] based on the second	Each Cast-enabled media player practices the step of, based on the second instruction, (a) ceasing
instruction, (a) ceasing to	to operate in accordance with the second predefined grouping of Cast-enabled media players such
operate in accordance with the	that the Cast-enabled media player is no longer configured to coordinate with at least the third
second predefined grouping of	Cast-enabled media player to output media in synchrony with output of media by at least the third
zone players such that the first	Cast-enabled media player and (b) beginning to operate in accordance with the first predefined
zone player is no longer	grouping of Cast-enabled media players such that the Cast-enabled media player is configured to
configured to coordinate with at	coordinate with at least the second Cast-enabled media player to output media in synchrony with
least the third zone player to	output of media by at least the second Cast-enabled media player. See claim limitation 6.2.
output media in synchrony with	
output of media by at least the	
third zone player and (b)	
beginning to operate in	

Case 6:20-cv-00881-ADA Document 39-2 Filed 01/14/21 Page 47 of 47

Claim 20	
accordance with the first	
predefined grouping of zone	
players such that the first zone	
player is configured to	
coordinate with at least the	
second zone player to output	
media in synchrony with output	
of media by at least the second	
zone player.	